


Pot Magnet with Countersunk

Specification Table

English Version
For reference only



Neodymium Type Pot Magnet with Countersunk

Model	D	H	d1	d2	t	Weight	Approx. Estimated Shear Strength
	mm	mm	mm	mm	mm	g	kg
QCCN010	10	4.5	3.0	4.8	1.2	2	
QCCN013	13	4.5	3.0	5.5	1.4	3	
QCCN016	16	4.5	3.5	6.5	1.6	4	
QCCN020	20	6.0	4.2	8.6	2.1	9	
QCCN025	25	7.0	5.5	10.4	2.5	16	
QCCN032	32	7.0	5.5	10.4	2.5	27	
QCCN040	40	8.0	5.5	10.4	2.5	53	
QCCN048	48	11.5	8.5	18.2	4.5	120	
QCCN060	60	15.0	8.5	18.2	4.5	250	

Ferrite Type Pot Magnet with Countersunk

Model	D	H	d1	d2	t	Weight	Approx. Estimated Shear Strength
	mm	mm	mm	mm	mm	g	kg
QCCF010	10	4.5	3.0	4.8	1.2	1.6	
QCCF013	13	4.5	3.0	5.5	1.4	2.4	
QCCF016	16	4.5	3.5	6.5	1.6	3.2	
QCCF020	20	6.0	4.2	8.6	2.1	7.2	
QCCF025	25	7.0	5.5	10.4	2.5	12.8	
QCCF032	32	7.0	5.5	10.4	2.5	21.6	
QCCF040	40	8.0	5.5	10.4	2.5	42.4	
QCCF048	48	11.5	8.5	18.2	4.5	96.0	
QCCF060	60	15.0	8.5	18.2	4.5	200.0	