


Pot Magnet with Threaded Stem

Specification Table

English Version
For reference only



Neodymium Type Pot Magnet with Threaded Stem

Model	D	H	L	M	Weight	Approx. Estimated Shear Strength
	mm	mm	mm	mm	g	kg
QCSN010	10	4.5	11.5	3	3.5	
QCSN013	13	4.5	11.5	3	5	
QCSN016	16	4.5	11.5	3	6	
QCSN020	20	6.0	13.0	3	11	
QCSN025	25	7.0	15.0	4	22	
QCSN032	32	7.0	15.0	4	32	
QCSN040	36	7.7	16.0	5	65	
QCSN048	40	8.0	16.5	6	120	
QCSN060	40	8.0	18.0	6	230	

Ferrite Type Pot Magnet with Threaded Stem

Model	D	H	L	M	Weight	Approx. Estimated Shear Strength
	mm	mm	mm	mm	g	kg
QCSF010	10	4.5	11.5	3	2.8	
QCSF013	13	4.5	11.5	3	4.0	
QCSF016	16	4.5	11.5	3	4.8	
QCSF020	20	6.0	13.0	3	8.8	
QCSF025	25	7.0	15.0	4	17.6	
QCSF032	32	7.0	15.0	4	25.6	
QCSF040	36	7.7	16.0	5	52.0	
QCSF048	40	8.0	16.5	6	96.0	
QCSF060	40	8.0	18.0	6	184.0	